

Data Sheet




HC1150U03-190

90 Degree Hybrid
1.12 GHz-1.26 GHz



Features

- Small Size (2x2mm)
- Very Low Loss
- Tight Amplitude Balance
- High Isolation
- Low VSWR
- Good Repeatability
- Tape & Reel
- Power handling
 - 4 Watts as a divider
 - 2 Watts as a combiner



TOP VIEW

Applications

- Phase shifter / Attenuator
- Balanced amplifier / LNA configurations
- Modulators
- Mixers
- Power combining /dividing

Notes:

- 1.Require to add Capacitors of DC Blocker between Pins(with black color) and external circuit to prevent DC signal entry to guranteeparts normal work.
- 2.This part has passed through 100% RF test.

Electrical Specifications at 25° C

编号	频率范围 (MHz)	耦合端		直通端		幅度平衡度 (dB)	相位差	端口反射 (dB)			
		耦合量	相位1	直通量	相位2			S11	S22	S33	S44
HC1150U03-190	1176	3.28	59.451	3.411	149.042	0.131	89.591	33.637	38.714	40.409	36.55
	1207	3.237	63.026	3.547	152.707	0.31	89.681	32.805	37.857	40.069	36.32
	1227	3.166	65.625	3.639	154.955	0.473	89.33	32.3	37.347	39.974	36.096
	1268	3.037	69.911	3.784	159.479	0.747	89.568	31.327	35.956	39.871	35.657



Yantel Corporation

Add: 3F, Building 3, Southern District 2 of Zhongguan Honghualing Industrial Park, Xili, Nanshan, Shenzhen, China
Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com

Data Sheet
HC1150U03-190
 90 Degree Hybrid
 1.12 GHz-1.26 GHz





Yantel Corporation

Add: 3F, Building 3, Southern District 2 of Zhongguan Honghualing Industrial Park, Xili, Nanshan, Shenzhen, China
 Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com

Data Sheet
HC1150U03-190
 90 Degree Hybrid
 1.12 GHz-1.26 GHz



Yantel Corporation

Add: 3F, Building 3, Southern District 2 of Zhongguan Honghualing Industrial Park, Xili, Nanshan, Shenzhen, China
 Tel: 86-755-8355-1886 Fax: 86-755-8355-2533


Rev A1

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com

Data Sheet

HC1150U03-190

90 Degree Hybrid
1.12 GHz-1.26 GHz



Yantel Corporation

Add: 3F, Building 3, Southern District 2 of Zhongguan Honghualing Industrial Park, Xili, Nanshan, Shenzhen, China
Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com


Data Sheet

HC115U03-190


90 Degree Hybrid
1.12 GHz-1.26 GHz



Outline Drawing




Land Pattern



Recommended Land Pattern Top View

Notes: All dimensions show in millimeters

Pin Out



Pin #	Connection
1	IN
2	GND
3	ISOL
4	COUPLED
5	GND
6	DIRECT

Yantel Corporation

Add: 3F, Building 3, Southern District 2 of Zhongguan Honghualing Industrial Park, Xili, Nanshan, Shenzhen, China
Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com