

Data Sheet




HC2000U03

3dB 90° Coupler IC
18GHz-22GHz



Features

- Small Size (2×2mm)
- Very Low Loss
- Tight Amplitude Balance
- High Isolation
- Low VSWR
- Good Repeatability
- Tape & Reel
- Power handling
 - 4 Watts as a divider
 - 2 Watts as a combiner



Applications

- Phase shifter / Attenuator
- Balanced amplifier / LNA configurations
- Modulators
- Mixers
- Power combining /dividing

Notes:

- 1.Require to add Capacitors of DC Blocker between Pins(with black color) and external circuit to prevent DC signal entry to guranteeparts normal work.
- 2.This part has passed through 100% RF test.

Electrical Specifications at 25°C

Parameter	Symbol	Min	Typ	Max	Unit
Frequency Range	F	18		22	GHz
Insertion Loss (Above 3dB)	I_L		0.6	1.1	dB
Isolation	Isol	13.5	16		dB
Phase Unbalance (Deviation from 90°)	$\varnothing_{bal}$		3.0	5.0	deg
Amplitude Unbalance	A_{bal}		0.6	1.0	dB
Input VSWR			1.3	1.5	
Output VSWR			1.3	1.5	

Yantel Corporation

Add: No.308-322, 3F, Building 1, Juchuang Jingu Innovation Park, Wenyuan Road 35, Xili Street, Nanshan, Shenzhen, China
Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1.0

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com


Data Sheet

HC2000U03


3dB 90° Coupler IC
18GHz-22GHz



Insertion Loss VS.Frequency



Isolation VS.Frequency



Yantel Corporation

Add: No.308-322, 3F, Building 1, Juchuang Jingu Innovation Park, Wenyuan Road 35, Xili Street, Nanshan, Shenzhen, China
Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1.0

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com


Data Sheet

HC2000U03


3dB 90° Coupler IC
18GHz-22GHz



Phase Balance VS.Frequency



Return Loss VS.Frequency



Yantel Corporation

Add: No.308-322, 3F, Building 1, Juchuang Jingu Innovation Park, Wenyuan Road 35, Xili Street, Nanshan, Shenzhen, China
Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1.0

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com


Data Sheet

HC2000U03


3dB 90° Coupler IC
18GHz-22GHz




Outline Drawing



Land Pattern



Hybrid Coupler Pin Configuration



Pin #	Connection	Connection	Connection	Connection
1	IN	ISOL	DIRECT	COUPLED
2	GND	GND	GND	GND
3	ISOL	IN	COUPLED	DIRECT
4	DIRECT	COUPLED	IN	ISOL
5	GND	GND	GND	GND
6	COUPLED	DIRECT	ISOL	IN

Yantel Corporation

Add: No.308-322, 3F, Building 1, Juchuang Jingu Innovation Park, Wenyuan Road 35, Xili Street, Nanshan, Shenzhen, China
Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1.0

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com